



**EAAP-ASAS Conference on Livestock
farming and the environment:
emissions and solutions**

**ANGRA DO HEROÍSMO – TERCEIRA ISLAND
(AZORES), PORTUGAL
APRIL 19TH - 21ST, 2026**

**PROGRAMME
EAAP 2026**

Welcome to the EAAP-ASAS Conference on Livestock farming and the environment: emissions and solutions

On behalf of the EAAP & ASAS Organizing Committee and the University of the Azores, it is our honor and pleasure to welcome you to the EAAP–ASAS Conference on Livestock Farming and the Environment: Emissions and Solutions, scheduled for April 19th to 21st, 2026, in Angra do Heroísmo – Terceira Island (Azores), Portugal.

This conference provides a unique opportunity to bring together scientists, researchers, and professionals from Europe, America, and beyond to discuss the pressing challenges of animal production and its environmental impact.

The scientific program will address key topics related to emission mitigation, sustainable resource use, and innovative strategies for reducing the environmental footprint of livestock systems. Sessions will explore advances in animal genetics, nutrition, and precision farming, highlighting how technology, management practices, and scientific breakthroughs can contribute to climate-smart animal agriculture. Special attention will be given to genomic and nutrigenomic approaches, feed efficiency, circular economy models, and policy frameworks supporting sustainability in the livestock sector.

Set in the heart of the Azores, a region renowned for its lush pastures, volcanic landscapes, and long-standing commitment to environmental stewardship, Angra do Heroísmo offers an inspiring backdrop for this international meeting. Participants will not only enjoy a dynamic and stimulating scientific exchange but will also have the opportunity to experience the islands' unique culture, history, and natural beauty.

We are confident that the EAAP–ASAS Conference on Livestock Farming and the Environment will be an engaging and memorable event, fostering collaboration, innovation, and shared solutions for a more sustainable future in animal agriculture. We look forward to welcoming you to Terceira Island for an unforgettable and productive experience.

Table of Contents

Summary

<i>Scientific programme</i>	6
<i>The European Federation of Animal Science (EAAP)</i>	16
<i>The American Society of Animal Science</i>	17
<i>About the Centro Cultural e de Congressos</i>	18
<i>Agriculture in the Azores islands</i>	19
<i>About Terceira</i>	20
<i>Useful information</i>	21
<i>Information for participants</i>	23

Joint organizers



Local sponsors



Scientific programme

Sunday 19 April

Session 1.

Room: Main auditorium
Chair: Johnson / Kreuzer
Session Type: Plenary session

Welcome Reception & Opening session

Theatre Session 1

18:00 Welcome Remarks

18:30 Accomplishments and latent potential in joint and complementary research efforts to reduce emissions in livestock systems

invited A. Bannink, S. Van Gastelen, H. J. Van Dooren, J. Dijkstra

Monday 20 April

Session 2.

Room: Main auditorium
Chair: Azevedo / Niu
Session Type: Theme session

Enteric methane - Supplementation (1)

Theatre Session 2

9:00 Potential of plants and algae rich in secondary compounds on the mitigation of ruminant methane emissions

invited R. J. B. Bessa, A. L. Abdalla Filho

9:45 One size doesn't fit all: Challenges and opportunities in methane mitigation across diverse livestock systems around the world

invited C. Arndt

10:30 Effects of supplementing beef cattle with oil macerate of *Asparagopsis taxiformis* on methane emissions, growth performance, meat quality and carbon footprint.

D. M. Soares, N. Rodrigues, A. Oliveira, H. Ramos, J. M. Almeida, S. P. Alves, S. P. Alves, G. M. Marques, G. M. Marques, J. Santos-Silva, R. J. Bessa, T. Domingos

10:45 Bromine mass balance calculation for dairy cows fed bromoform-based feed additives

R. Tognelli, P. Alvarez-Hess, R. Williams, R. Eckard, S. Denman, J. Jacobs

11:00 Bromoform-based additive to reduce enteric methane in finishing Nelore cattle

T. Freitas, L. G. Oliveira, F. Santos, G. Mourão, G. Congio, A. Nardi, M. Bassani, M. Prado, L. H. Oliveira, G. Arnandes, P. Alvarez-Hess, A. Berndt, D. Costa

11:15 Coffe Break

11:45 Effects of leafy Brassica species on methane production and in vitro rumen fermentation characteristics

A. V Chaves

12:00 Mitigating Enteric Methane Through Forage Diversification: Effects of Greenleaf and Silverleaf Desmodium on Methane Yield and Intake of Dorper Sheep

E. H. Cabezas-Garcia, V. Lind, L. Kiprotich, J. Gakige, C. S. Jones, C. Arndt

- 12:15 Reduction of enteric methane emissions in Belgian Blue bulls during the final growth stages by increasing fat supplementation
T. Van De Gucht, L. Vandaele, B. Ampe, F. De Craene, A. Van Mallegheem, N. Peiren
- 12:30 In silico screening of food-derived compounds and in vitro rumen fermentation identifies Alliin as a potential methane inhibitor in dairy cows
R. Peng, Z. Song, G. Foggi, Z. Huang, M. Niu

Poster Session 2

- 02.11 Tannin Supplementation in cow-calf pairs grazing a grass monoculture
J. Villalba, H. Blanchard, X. Dai, N. Pancioli, O. Desrues, C. Cabral
- 02.12 Nutritional Assessment and Enteric Methane Mitigation Potential of the Invasive Alga *Rugulopteryx okamurae*
H. P. B. Nunes, C. S. Maduro-Dias, A. E. S. Borba
- 02.13 Evaluation of seaweed-based feed additive on enteric methane emissions of grazing heifers on pasture
J. Chen, T. Loiselle, M. Theurer
- 02.14 Effects of a bromoform-based feed additive on the fermentation profile and methane production in an in vitro batch culture system
G. Dubeux, A. Fernandez-Lehmann, A. Maderal, F. Tarnonsky, I. Fernandez-Marenchino, M. P. Gambaro, T. M. Schulmeister, L. Garcia, M. Ruiz-Moreno, P. Alvarez-Hess, R. Tognelli, S. Jacques, N. Diloranzo
- 02.15 How long does it take to low levels of quebracho and chestnut tannin extract supplementation to grazing dairy cattle affect methane production?
A. Kraal, E. Wilson, M. Bedegain, R. Burgess, F. Pereira, S. Kumara, N. Pancioli
- 02.16 Hazel leaves: a means to reduce methane emissions and concomitantly improve the fatty acid profile of bovine milk?
M. Terranova, A. Birkinshaw, M. Kreuzer
- 02.17 Influence of plant secondary metabolite-producing forb inclusion on digestive capabilities and greenhouse gas emission potential of beef steers
C. Siziba, M. K. Mullenix, S. L. Dillard, J. P. Muir, W. B. Smith
- 02.18 Evaluating the methane mitigation potential of Canadian oilseed co-products using in vitro ruminal batch culture
M. S. Williams, T. Chambwe, S. A. Terry, G. O. Ribeiro
- 02.19 Evaluation of Rumen-Protected Lysine Supplementation on Performance and Greenhouse Gas Emissions in Nellore Beef Cattle Finished in Feedlot
M. S. Santos Marques, E. Furlan Junior, M. G. Dalafini, J. O. Julião Michelini, C. A. Franzon, E. Magnani, T. H. Silva, R. H. Branco
- 02.20 The impact of Essential Oils on the in vitro methane production and ruminal fermentation
O. Guerreiro, D. Salvaterra, A. P. Portugal, K. Paulos, J. Costa, A. T. Belo, E. Jerónimo
- 02.21 Evaluation of essential oils on in vitro ruminal fermentation, gas production kinetics, and enteric methane mitigation
M. Gerarduzzi Dalafini, E. Furlan Junior, M. Suzane Santos Marques, J. O. Julião Michelini, C. Almeida Franzon, E. Magnani, T. H. Da Silva, R. H. Branco
- 02.22 Dietary supplementation of Agolin Ruminant® reduced enteric methane emissions in dairy buffaloes monitored by sniffer method
C. Rossi, G. Grossi, C. Evangelista, F. Petrocchi Jasinski, L. Basiricò, A. M. Lippiello, E. Ferrara, U. Bernabucci, N. Lacetera, A. Vitali
- 02.23 Effect of garlic by-product supplementation on methane emissions in Merino lambs
C. Barraso, J. García-Gudiño, M. .. López-Parra, A. García
- 02.24 Effects of dimethyl sulfoxide dose on in vitro rumen fermentation and methane production
A. V. Chaves
- 02.25 Malate salts as modifiers of ruminal fermentation and reducers of methane emissions
T. De Evan, J. López-Paredes, M. Puyalto, J. J. Mallo, M. D. Carro
- 02.26 The synergistic effect of malate and monensin enhances rumen fermentation
J. López-Paredes, T. De Evan, M. Puyalto, J. J. Mallo, M. D. Carro
- 02.27 In vitro evaluation of natural additives on ruminal fermentation and methane emissions in finishing diets
E. Furlan Junior, C. A. Franzon, J. P. Ludwig, M. S. Santos Marques, M. G. Dalafini, E. Magnani, T. H. Silva, R. H. Branco
- 02.28 Inclusion of CaO₂ in sheep diets to reduce methane emissions under Norwegian conditions.
S. Nyamuryekung'E, N. Tulâne, G. Jørgensen, V. O'flaherty, V. Lind
- 02.29 Methane emissions in gir dairy heifers fed diets containing different proportions of wheat silage
E. A. Silva, D. S. S. Lisboa, A. H. M. Arcanjo, B. G. C. H. Homem, L. S. Rezende, G. C. Alves, L. E. F. Zadra, L. L. S. Féres, F. O. Franco

Room: Room 2

Chair: Boland / Kirwan / Johnson

Session Type: Theme session

Theatre Session 3

10:30 Mitigating ammonia and methane emissions in herbage-based dairy farming through tannin-rich diets: a multistage approach

G. Lazzari, A. Münger, L. Eggerschwiler, M. Zähler, M. Kreuzer, S. Schrader, F. Dohme-Meier

10:45 Application of precision technologies to assess the environmental impact of mountain grazing system

M. Pavolini, S. Sari, G. Gislou, S. Bonizzi, N. Palladini, L. Bava, M. Zucali, A. Tamburini, A. Sandrucci

11:00 Excellence Farms as live labs for climate-smart skills in dairy goats: integrating digital milk-yield data into training pathways

I. Kaimakamis, L. Fotos, V. Papatsiros

11:15 Coffe Break

11:45 The ammonia emission reducing potential of zeolite products when used as manure additive in cattle and goat barns

K. Goossens, T. Van De Gucht, N. Peiren, J. Vandicke

12:00 Grass-legume mixture enhances N use efficiency and stability of grazing systems

J. Dubeux, K. Trumpp, L. Garcia, K. Sganzerla, D. Jaramillo, E. Santos, L. Queiroz, I. Bretas, M. Ruiz-Moreno

12:15 Animal density, nitrogen balance, and nitrous oxide emissions in New York dairies

O. F. Godber, J. K. Lee, Q. M. Ketterings

12:30 Identification of key indicators determining environmental impacts in German milk production systems

J. Drews, J. Koerte, S. Krueger, P. Sanftleben

12:45 Environmental benefits of multicarbohydrase-phytase complex supplementation in broiler production: a life cycle assessment approach

T. De Rauglaudre, M. Jlali

13:00 Lunch

14:00 Lecture in Main Auditorium

14:45 Pastures redefined: Multispecies swards enhance the sustainability of a dairy-calf-to-beef system

T. Boland, H. Sheridan, A. Evans, P. N. Murphy, P. Crosson, O. Schmidt, F. Monahan, F. Horan, S. Baker, F. Godwin, D. Murphy, J. Ekanayake, A. Kelly

15:00 CERZOO as a supersite for circular livestock farming: integrating research, monitoring, and co-design for sustainable dairy systems

A. Fiorini, F. Ardenti, F. Frolidi, P. Bani, E. Trevisi

15:15 Coffe Break

15:45 "Abattoir Air Quality: An Unknown Quantity." Volatile Organic Compound Characterisation in Beef Abattoirs.

E. Gannon, K. Farag, G. Charlton, J. Covington, L. McIntyre

16:00 The impact of immunocastration on the carbon footprint of male fattening pigs

J. Gickel, C. Visscher

16:15 Meta-analysis of the effects of dietary inclusion of by-products containing polyphenols on milk production traits of goats.

A. Nudda, F. Correddu, M. F. Lunesu, S. Carta, A. Cesarani, M. Farina, G. Pulina

16:30 Subclinical Mastitis in Kenyan Herds: Milk Loss, Emission Intensity, and Food Security Risks

E. Gurmu, M. Bronsvoort, E. Cook, P. Ruegg, P. Rosensteil, N. Wheelhouse, L. González-Gordon, S. Ozkan, J. Gibbons, J. Hawkins, C. Arndt

16:45 Simulating dietary protein and methane-mitigation strategies with the Ruminant Farm Systems (RuFaS) model

V. Cabrera, K. Reed, Y. Gong

Poster Session 3

- 03.20 Native Warm Season Perennials as Climate Resilient Forage options for Semi-Arid Beef Systems in South Texas
G. Schuster, A. D. Falk, J. L. Foster, N. L. Mast
- 03.21 Efficiency of the Limousine cattle breed in Portugal based on technological and natural solutions
J. Carvalho, F. Veríssimo, C. Almeida, M. Martins, J. Carneiro
- 03.22 Attributing upstream cattle emissions to Italian bovine leather: allocation choices and implications for the national tanning carbon footprint
F. Correddu, M. F. Lunesu, A. Nudda, G. Battacone, G. Pulina
- 03.23 Effect of cricket frass as an organic fertilizer on forage quality
I. Rehan, C. Queda, H. Ribeiro, J. Gramacho, O. Moreira, G. Costa, R. Menino
- 03.24 The effects of by-pass lysolecithin supplementation on milk quality parameters: sheep as a case study
J. López-Paredes, J. Conde, G. Giner, A. Del Real, L. Pandolfini, M. Puyalto, J. J. Mallo
- 03.25 Isotopic characterisation of commercial pig feeds
R. P. Braga Terra, C. S. Linhares Cipriano, M. Anton Dib Saleh
- 03.26 Global analysis of nutritional strategies to mitigate the environmental impacts of dairy production: the case of supplementing diets with microencapsulated B vitamins
P. Agyemang, E. M. Kofie, L. Lahaye, M. Otis, E. Fontaine, V. Assesltine, A. Payne, G. Thoma, L. Dufour
- 03.27 Reducing environmental footprints in low-input livestock systems through the integration of root and tuber by-products into smallholder diets
A. C. Nwokoro, E. C. Mba, H. C. Nwokoro, I. Olaleru
- 03.28 Liquid and powdered bacteriocin-rich γ -PGA feed additives in goose fattening: productive implications
P. Micek, M. Lis, M. Trela, K. Gondek, K. Kustra
- 03.29 Environmental and production aspects of the use of dried berry pomace in the feeding of fattening pigs.
D. Łodyga, A. Zaworska-Zakrzewska, A. Cieślak
- 03.30 Impact of fat source and lysolecithin supplementation on energy and nutrient utilization in pigs
G. Yordanova, R. Nedeva, M. Petrova, K. Eneva, S. Icely, S. C Mansbridge, S. P Rose, V. Pirgozliev
- 03.31 Lactation Curve of Sindi Cows (*Bos taurus indicus*) in a Tropical Environment of the Brazilian Cerrado
I. C. Ferreira, J. C. De Melo, A. Q. De Mesquita, C. F. Martins
- 03.32 Residual feed intake as a tool for efficiency in beef production systems in tropical regions
S. Bonilha, J. Muñoz, R. Canesin, J. Cyrillo, M. E. Mercadante, R. Branco
- 03.33 Associations Between Expected Progeny Differences and Measured Feed Efficiency in Post-Weaned Red Angus Calves
N. Mast
- 03.34 Milk production and composition of Sindi cows under grazing conditions in the Cerrado biome
J. C. Melo, I. C. Ferreira, A. Q. Mesquita, C. F. Martins
- 03.35 Growth Potential of $\frac{1}{2}$ Sindi \times $\frac{1}{2}$ Montbéliarde Animals Using the Gompertz Growth Curve
J. C. Melo, C. F. Martins, A. Q. Mesquita, I. C. Ferreira
- 03.36 Effect of Lactation Stage on Energy-Corrected Milk (ECM) Yield in Sindi Cows
I. C. Ferreira, J. C. De Melo, A. Q. De Mesquita, C. F. Martins
- 03.37 Cattle health and sustainability: The impact of bovine respiratory disease on the performance and carbon footprint of cattle – A systematic literature review and meta-analysis
L. Esslage, C. Visscher, J. Gickel
- 03.38 Mild Protein Restriction During Mid-Gestation Does Not Affect Placental Health or Calf Birth Outcomes in Extended-Grazed Beef Cows
G. Diddeniyage, H. E. Yang, J. Hernandez-Medrano, N. Malmuthuge
- 03.39 Factors Affecting the Recurrence of Diarrhea in Purebred Sindi and $\frac{1}{2}$ Sindi $\frac{1}{2}$ Montbéliard Calves
F. L. Rodrigues, C. F. Martins, J. C. Melo, A. Q. Mesquita, I. C. Ferreira
- 03.40 Incidence of Diarrhea in Purebred Sindi and $\frac{1}{2}$ Sindi $\frac{1}{2}$ Montbéliard Calves
F. L. Rodrigues, J. C. Melo, S. A.s.oliveira, A. Q. Mesquita, C. F. Martins, I. C. Ferreira
- 03.41 Qualitative classification of reactivity in Gyr and Guzerat heifers during pre-milking training
P. Silva Arcanjo, S. Oliveira, J. Melo, L. Santos Féres, A. Arcanjo, I. Ferreira
- 03.42 Reactivity of Gyr and Guzerat heifers during different phases of rational taming
P. Silva Arcanjo, S. Oliveira, J. Melo, L. Santos Féres, I. Ferreira
- 03.43 Apparent digestibility of diets with different inclusion levels of wheat silage for Holstein \times Gyr cows
A. Arcanjo, L. Jacob, E. Silva, M. Camilo, L. Santos Féres, L. Silva, Y. Silva, R. Teixeira, M. Coelho

Session 4.

Enteric & manure methane

Room: Main auditorium
Chair: Foggi / Chaves
Session Type: Theme session

Theatre Session 4

- 14:00 Advancing Bioactive Compounds into Antimethanogenic Feed Additives: Framework for Discovery, Evaluation and Selection
invited Z. Durmic
- 14:45 Dietary fibre and protein content influence formation of methane in the hindgut and in manure of pigs
A. Jansman, E. Royer, P. Bikker
- 15:00 Full-scale implementation of a chemical additive, GasAbate, for reduction of GHG emissions from animal manures
D. Hughes, C. Thorn, R. Friel, V. O'Flaherty
- 15:15 Process based models for calculating methane emission from stored liquid manure
F. R. Dalby, S. G. Sommer

Poster Session 4

- 04.05 Enteric methane emission from grower-finishing pigs fed organic protein-rich feed ingredients
M. E. Van Der Heide, X. Y. Zhu, J. V. Nørgaard, E. Sattarova
- 04.06 Enteric methane emission from organic growing-finishing pigs fed ingredients rich in insoluble fiber
E. Sattarova, X. Y. Zhu, J. V. Nørgaard, M. E. Van Der Heide
- 04.07 Equation for daily methane emissions of fattening pig unit depending on excretions and temperature
S. Espagnol, N. Guingand, C. Tirlemont
- 04.08 Development of a slurry additive for pig manure, to reduce GHG emissions, retain nutrient value and influence animal health
D. Hughes, C. Thorn, R. Friel, V. O'Flaherty
- 04.09 Influence of Cultivation Intensity on the Net Carbon Footprint of a Mediterranean Cow-Calf System
M. F. Lunesu, M. F. Caratzu, S. Sechi, G. Pulina, G. Battacone, A. Nudda

Session 5.

Enteric methane - Supplementation (2)

Room: Main auditorium
Chair: Foggi / Chaves
Session Type: Theme session

Theatre Session 5

- 16:00 Mitigation of enteric methane emissions in Italian Holstein heifers through nutritional strategies
W. Chen, G. Meli, P. Grisenti, L. Benzoni, R. Finocchiaro, M. Cassandro, V. Bontempo, G. Savoini, G. Invernizzi
- 16:15 Producer Adoption and Economic Pathways for Reducing Enteric Methane in U.S. Feedlot Cattle Using 3-Nitrooxypropanol (3-NOP)
J. Luke, G. Tonsor
- 16:30 Combined effects of hydrogen sink compounds and dietary NDF level on enteric methane emission measured using SF₆ tracer in a dual-flow continuous culture system
G. Balieiro Neto, M. Jorge, A. Berndt, C. E. K. M. C. Jordao

Session 6.

Enteric methane - Grazing (1)

Room: Main auditorium
Chair: Foggi / Chaves
Session Type: Theme session

Theatre Session 6

- 16:45 The Efficacy of Greenhouse Gas Mitigation Practices in Pasture-Based Livestock Systems: A Meta-Analysis
M. Osewe, D. O'Brien, M. Markiewicz-Keszycka
- 17:00 Enteric methane emissions of beef heifers grazing naturalized pastures in Western Canada under high and low stocking rates
W. Hao, A. Macias Franco, A. E. Moreira Da Silva, M. Londono-Mendez, S. Lasso Ramirez, V. Ramirez Sepulveda, V. Mah, G. Nickols, C. Fitzsimmons, E. R. Da Silva Santos, K. Wood, G. O. Ribeiro, S. Terry, G. Medeiros Da Silva
- 17:15 Restricted grazing reduces enteric methane emission of high-yielding dairy cows
M. Cromheeke, L. Vandaele, T. Van De Gucht, J. Van Mullem, L. Koning, D. Van Wesemael, N. Peiren
- 17:30 Seasonal and Diurnal Variation on Enteric Methane Emissions of Beef Cattle Grazing Rangelands
J. Ranches, J. Torres, A. Cristine Rezende Dos Santos, E. Ferri De Oliveira, D. Bohnert, R. O'Connor

Poster Session 6

- 06.05 Enteric methane emissions and animal performance in mixed pastures with forage legumes
G. C. Alves, L. S. Rezende, L. F. Souza, W. S. Souza, C. P. Rezende, R. M. Boddey, B. G. C. Homem, D. R. Casagrande
- 06.06 Impacts of cow-calf system intensification on performance and enteric methane emissions in beef cattle
L. S. Rezende, G. C. Alves, E. H. R. Domingues, W. S. Souza, M. P. Gionbelli, T. F. Bernardes, R. M. Boddey, B. G. C. Homem, D. R. Casagrande
- 06.07 Effect of forage cultivar selection on digestive capabilities and greenhouse gas emission potential of beef cattle
A. R. Hines, M. K. Mullenix, S. L. Dillard, T. R. Callaway, W. B. Smith
- 06.08 Methane emissions in Verata goats under extensive grazing in dehesa system: preliminary results
J. García-Gudiño, C. Barraso, A. García, P. L. Rodríguez-Medina, M. M. López-Parra
- 06.09 Rice bran supplementation on heifers grazing native pasture: Ruminant environment and methane emissions
C. Ferrés-Castells, G. Fernandez-Turren

Tuesday 21 April

Session 7.

Nitrogen in Animal Systems

Room: Main auditorium
Chair: Wagner Riddle / Olivo
Session Type: Theme session

Theatre Session 7

- 9:00 Lessons learned about on-farm N emissions from ruminant systems and strategies for mitigation
invited A. Leytem
- 9:45 Nitrogen efficiency in animal farming systems with specific emphasis on pigs and poultry (invited talk)
invited J. Y. Dourmad, B. Méda
- 10:30 Assessing Environmental Impacts of Using Plasma Technology for Manure Treatment: A Whole-Farm Dairy System Analysis
S. H. Pishgar-Komleh, T. Vellinga
- 10:45 Comparative evaluation of four carbon assessment tools for dairy production systems
F. Nadon, J. P. Matteau, S. Binggeli, É. Charbonneau
- 11:00 Validation of a New Multi-Compartment Dairy Research Barn for Controlled Gas Emission Measurements
S. Dicks, J. Paßmann, D. Nett, M. Trimborn, W. Büscher
- 11:15 Coffe Break

- 11:45 Novel Dairy Research Barn: Precision Emission Measurements and Animal–Environment Interaction Analysis
J. Paßmann, S. Dicks, D. Nett, M. Trimborn, W. Büscher
- 12:00 Equation for daily ammonia emissions of fattening pig unit depending on excretions and temperature
C. Tirlemont, N. Guingand, S. Espagnol
- 12:15 Development of NH₃ emission factors for pig housing systems from a comprehensive literature analysis
N. Guingand
- 12:30 Ammonia Reduction in Laying hens via Alfalfa-Based Organic Diets
A. Dreßel, A. I. Kirn, P. Hofmann, P. Weindl, S. Thurner, D. Andrade, J. Steinhoff-Wagner
- 12:45 By-product based diets may enhance methane formation in pig manure whereas ammonia emission can be controlled by dietary strategies
P. Bikker, P. Mostert, A. Jansman
- 13:00 A Statistical–Machine Learning approach for Assessing Methane Emissions in Pig Production Systems based on Physiological, Nutritional and Fecal Composition parameters
N. C. Deb, F. Carlos, S. Calvet, P. García-Rebollar, O. Piquer, A. Cerisuelo

Poster Session 7

- 07.13 Impacts of Straw Characteristics and Manure Management on Ammonia and Methane Emissions in Straw-Bedded Pig Housing
J. Falke, F. Eckmüller, L. Kabo, F. Betzenbichler, D. Andrade
- 07.14 Development of a decision tool to evaluate NH₃ concentrations in pig houses
N. Guingand
- 07.15 Continuous Monitoring Reveals Substantially Lower Ammonia Emissions in Fattening Pig Units with 40% Convex Solid Floors compared to Full Slatted Floors
S. Debevere, S. Ingelbeen
- 07.16 Potential environmental and production benefits of integrating farm-grown lupin and faba bean seeds into closed-loop feeding systems for native pig breeds
D. Łodyga, M. Kasprowicz-Potocka
- 07.17 New indicators for whole-farm sustainability: linking milk, land use, nitrogen surplus, and nitrous oxide emissions on New York dairy farms
O. F. Godber, J. K. Lee, Q. M. Ketterings
- 07.18 Re-feed: renewable energy production at farm level for energy efficiency and defossilization
R. Fragoso, M. Nogueira, J. Bastos, P. Brito, J. Silva Costa, I. Rehan, O. Moreira, E. Duarte
- 07.19 Ammonia emission rates from fattening pig housings with outdoor yard in Germany
B. Eurich-Menden, U. Wolf, G. Dehler, D. Horlacher, A. Smirnov, E. Grimm, K. Wagner, N. Kemper, S. Wulf
- 07.20 Manure Management Network - Research priorities for manure management in a changing world
S. Sommer, D. Pelster, S. Leitner, W. Ntinyari, W. Ibrahim, T. Van Der Weerden
- 07.21 Assessing measurement strategies to characterise barn emission behaviour with external emission sources
D. Nett, M. Trimborn, P. Ebertz, J. Paßmann, W. Büscher
- 07.22 Effects of a modified building and proactive ventilation on animal welfare in a conventional broiler barn
S. Schäfers, N. Kemper
- 07.23 Does Intensification Improve Environmental Efficiency in Pasture-Based Dairy Systems? A Three-Year Footprint Analysis
C. Loza, L. Gil, J. Gere, P. Chilibroste, M. P. Tieri
- 07.24 Does Collecting Greenhouse Gas Emission Data in Small Cattle Populations and Native Breeds Make Sense?
K. Żukowski, M. Skarwecka, D. Słomian, I. Radkowska
- 07.25 Application of a CO₂ emission calculator to assess the impact of forage crop production and grassland management on emissions in livestock farms
I. Radkowska, B. Kulik, A. Radkowski, M. Maziarka
- 07.26 Possibilities of using remote sensing in the context of CO₂ emissions reduction and sustainable grassland management on ruminant farms
I. Radkowska, A. Radkowski, W. Drzewiecki
- 07.27 A Regional-Local Approach for Assessing Seasonal Heat Stress in Livestock Farming
V. Papatsiros, G. Tsegas, E. Chourdakis, T. Trachalaki, C. Vlachocostas
- 07.28 Relationship between climate and mycotoxin contamination in different corn matrices
P. Premarajan, E. Pacifico, T. Fearn, E. Grandi, M. Ottoboni, F. Cheli, L. Pinotti

Session 8.

Enteric methane - Grazing (2)

Room: Room 2

Chair: Terranova / Kreuzer

Session Type: Theme session

Theatre Session 8

- 10:30 Associations between nutrient composition and enteric methane yield in grazing and zero-grazing dairy systems
L. Koning, A. Bannink, S. Van Gastelen, G. Holshof, A. Klop, J. Dijkstra
- 10:45 The effect of sward type on lamb methane production and age at slaughter
R. Rooney, S. Woodmartin, T. Boland, N. Mchugh, P. Creighton
- 11:00 Mitigating Methane Emissions Without Impairing Production Performance: Grazing Strategies for Suckler Beef Cows?
R. Yi, Y. Yang, F. Lively, T. Yan, O. Cristobal-Carballo, K. Theodoridou

Session 9.

Enteric methane - Non-dietary Measures

Room: Room 2

Chair: Terranova / Kreuzer

Session Type: Theme session

Theatre Session 9

- 11:45 Options and strategies for stacking methane-mitigating interventions to enhance enteric methane reduction in ruminant livestock
Z. Durmic, M. T. Harrison, R. Eckard, J. Jacobs, J. Kay, F. Cowley, B. Hayes
- 12:00 Breed differences in enteric emissions of Angus and Hays Converter beef heifers grazing naturalized pastures in Western Canada
W. Hao, A. Macias Franco, A. E. Moreira Da Silva, S. Lasso Ramirez, M. C. Londono Mendez, V. Ramirez Sepulveda, V. Mah, G. Nickols, K. Wood, E. Santos, G. Medeiros Da Silva
- 12:15 What the Azorean Catrina Can Teach Us in Contrast to the Holstein-Friesian
A. R. Azevedo, A. Da Câmara Machado, R. Franco-Duarte, J. Fagundes, A. Borba, D. Mendonça, M. S. Lopes
- 12:30 Methane emissions as affected by animal traits and productivity in dairy sheep: a GreenFeed® study on lactating ewes
E. Senatore, T. Malizzi, A. Silvi, F. Mannelli, G. Foggi, F. Scicutella, A. Medeiros, A. Buccioni, A. Mantino, S. Grande, A. Negro, M. Mele
- 12:45 Vaccination reduced Enteric Methane, without adverse effect on performance and nutrient digestibility of Beef Cattle
M. Muntari, B. Arciero, Z. Seekford, T. Minela, M. Ledwaba, G. E. Carstens, K. G. Pohler, C. G. Lamb

Poster Session 9

- 09.06 Bivariate analyses increase genomic prediction accuracy for enteric methane emission in Nelore cattle
T. L. D. S. Soares, O. Gonzalez-Recio, L. F. M. Mota, M. E. Z. Mercadante
- 09.07 Which Cow Breathes Cleaner? Comparing Methane emissions from the Catrina and the Holstein-Friesian
A. R. Azevedo, A. Da Câmara Machado, R. Franco-Duarte, J. Fagundes, A. Borba, D. Mendonça, M. S. Lopes
- 09.08 Effect of early weaning and feed additive supplementation on enteric methane emissions in new born dairy beef calves
A. Ayoob Khan, L. Cardenas, D. Enriquez Hidalgo, M. J. Rivero
- 09.09 Breeding for Lower Emissions: Exploring Enteric Methane, Residual Feed Intake, and Parasite Resistance in Lleyn Sheep
S. Morgan, N. Naylor, R. Wilkinson
- 09.10 Carry-over vs acute heat stress effects on the behavior of dairy cows exposed to a GreenFeed system to measure enteric gas emissions
I. Toledo, D. Onan-Martinez, M. De Bari, H. Olmo, J. Lance, G. Dahl
- 09.11 Methane Emissions and Productive Performance of Dairy Cows in Organic and Conventional Systems
A. Garcia-Rodriguez, R. Ruiz, H. Benhissi, A. Varsaki, C. Orlandini-Mendoza, O. Gonzalez-Recio, M. Martinez-Alvaro, J. A. Jimenez-Montero, I. Goiri

Room: Main auditorium
 Chair: Leytem / Jackson
 Session Type: Theme session

Theatre Session 10

- 14:15 Whole-Farm Approaches to Advance Climate-Smart Livestock Systems
invited C. Wagner-Riddle, A. Olivo
- 15:00 Mapping Pathways to Reduce Greenhouse Gas Emissions in Canadian Dairies by 2030 and 2050
 A. Olivo¹, J. Minigan, S. Binggeli, S. Jayasundara, B. Mcconkey, D. Burton, E. Charbonneau, A. Vanderzaag, C. Wagner-Riddle
- 15:15 LIFE Green Sheep project: Mitigation strategies reduce carbon footprint of European sheep production
 S. Throude, H. Chanel, M. Acciaro, O. Del Hierro, R. Ruiz, T. W. J. Keady, C. Buckley, L. Bragina, C. Dragomir
- 15:30 Systems level and nationally aggregated climate smart development pathways in Kenya's beef sector
 J. Hawkins, R. Emiru, C. Stull-Lane, M. Staines, J. Creemers, C. Jones, S. Leitner, C. Arndt
- 15:45 Carbon balance of beef production: LCA-based estimation of emissions and carbon sequestration in silvopastoral systems
 M. Finocchi, S. Sari, G. Zucca, F. Cella, A. Mantino, L. Bava, M. Zucali, A. Sandrucci, M. Mele
- 16:00 Coffe Break
- 16:30 Estimate carbon balance and financial viability for crop-livestock mixed farming and agrosilvopastoral systems: insights from the DIGITAF project
 A. Ripamonti, M. Finocchi, E. Senatore, F. Cella, T. Malizzi, I. Lusini, L. Tramacere, M. Mele, A. Mantino
- 16:45 Implications of livestock FAO 2050 emissions projections on temperature change and carbon dioxide removal using GWP and GWP* metrics
 F. Correddu, M. F. Lunesu, S. Sechi, M. F. Caratzu, G. Pulina
- 17:00 Engaging farmers in the climate change debate using a Citizens' Jury approach
 A. Jackson
- 17:15 Motivations, constraints and incentives for adoption of climate-smart innovations: Evidence from UK dairy farmers
 Y. Gadanakis, D. Enriquez-Hidalgo, Z. Baker, C. Reynolds, A. Mertens
- 17:30 Closing lecture
invited A. Bannink
- 18:00 Podium discussion

Room: Room 2

Chair: Terranova / Kreuzer

Session Type: Theme session

Theatre Session 11

- 15:00 Integration of 3D camera-based postural analysis for early lameness detection and methane intensity mitigation in dairy cows
A. D. Garcia Lamothe
- 15:15 Linear and nonlinear relationship between global positioning system collars and enteric emissions for beef heifers grazing naturalized pastures
W. Hao, A. Macias Franco, A. E. Moreira Da Silva, S. Lasso Ramirez, M. C. Londono Mendez, V. Ramirez Sepulveda, V. Mah, G. Nickols, K. Wood, E. R. Santos, G. Medeiros Da Silva
- 15:30 Methodological assessment of the Gas Endeavour device for real-time measurement of CO₂ and CH₄ emissions from sheep diets
R. Gannuscio, G. Maniaci, M. Todaro
- 15:45 Evaluation of Laser-based spot measurements using ventilated hoods chambers for direct enteric methane emissions
G. Foggi, L. Lanzoni, R. Boré, E. Senatore, G. Altana, M. Azzena, A. Franca, E. Vagnoni, A. Ledda, F. Correddu, S. Throude, M. Mele, A. S. Atzori

16:00 Coffe Break

- 16:30 Evaluating the Accuracy of ZELP Sense™ Against Respiration Chambers for Methane Emission Measurement in Cattle
S. Silvestri, S. Muetzel, R. Bica
- 16:45 Comparison of procedures for estimating enteric methane emissions in dairy herds
M. Berton, M. A. Ramirez Mauricio, A. Cecchinato, H. Toledo Alvarado, M. Nocetti, L. Gallo, E. Sturaro

Poster Session 11

- 11.08 Effect of feed additives on in vitro gas production kinetics
M. G. Camilo, S. A. S. Oliveira, L. C. V. Ítavo, L. L. Santos Féres, A. H. M. Arcanjo, E. A. Silva
- 11.09 Evaluation of the Kleiber index in dairy Gyr heifers fed diets with different associations of wheat silage
M. G. Camilo, D. S. S. Lisboa, E. A. Silva, A. H. M. Arcanjo, B. G. C. Homem, L. S. Rezende, G. C. Alves, L. E. F. Zadra
- 11.10 Ability of faecal NIRS for predicting methane emissions in cows supplemented with antimethanogenic additives
D. M. Soares, N. Baleret, D. Parra, C. Martin, D. Andueza
- 11.11 Effect of nitrate supplementation on the in vitro gas production profile of grass and maize silage
V. Ambriz Vilchis, M. Palmer, A. Holland
- 11.12 Sniffer sensors vs. SF₆ gas-tracer technique: A field comparison in pasture-based dairy systems
J. Fernández, H. Naya, M. Carriquiry, E. Peñagaricano, A. Rivoir, A. La Manna, V. Ciganda, C. Loza
- 11.13 In vitro gas production kinetics of feed-grade urea and protected urea
A. F. Reis, M. G. Camilo, S. A. S. Oliveira, L. C. V. Ítavo, L. L. Santos Féres, A. H. M. Arcanjo, E. A. Silva
- 11.14 Advantages and limitations of the Use of Laser Methane Detector for Ranking Enteric Methane Emissions: practical recommendations
D. Meo Zilio, R. Steri, M. Iacurto
- 11.15 In vitro gas production of different forages and their implications for greenhouse gas mitigation
A. F. Reis, M. G. Camilo, S. A. S. Oliveira, L. C. V. Ítavo, L. L. Santos Féres, A. H. M. Arcanjo, E. A. Silva
- 11.16 In Vitro Gas Production Kinetics of Protein and Energy Concentrates Used in Bovine Nutrition
S. A. S. De Oliveira, M. G. Camilo, A. H. M. Arcanjo, I. C. Ferreira, L. C. V. Ítavo, L. L. Santos Féres, E. A. Da Silva
- 11.17 Mathematical model for adjustments of in vitro gases production at different inclusion levels of wheat silage
S. A. S. De Oliveira, M. G. Camilo, I. C. Ferreira, L. C. V. Ítavo, L. L. S. Féres, M. A. O. Coelho, E. A. Da Silva
- 11.18 In vitro gas production dynamics of forage peanut cv. BRS Mandobi
A. Arcanjo, M. Camilo, S. Oliveira, L. Santos Féres, E. Silva, J. Silva, L. Ítavo
- 11.19 In vitro gas production kinetics for different inclusion levels of wheat silage
E. A. Silva, D. S. S. Lisboa, S. A. S. Oliveira, M. G. Camilo, L. L. S. Féres, L. C. V. Ítavo, A. H. M. Arcanjo

The European Federation of Animal Science - EAAP

The main aims of the EAAP are to promote, by means of active co-operation between its members and other relevant international and national organizations, the advancement of scientific research, sustainable development and production systems; experimentation, application and extension; to improve the technical and economic conditions of the livestock sector; to promote the welfare of farm animals and the conservation of the rural environment; to control and optimize the use of natural resources in general and animal genetic resources in particular; to encourage the involvement of young scientists and technicians. More information on the organization and its activities can be found at www.eaap.org.

Former Presidents

1949-1961	A.M. Leroy (France)
1961-1967	R. Trehane (United Kingdom)
1967-1972	J.M. Rijssenbeek (The Netherlands)
1972-1978	J.H. Weniger (Germany)
1978-1984	E.P. Cunningham (Ireland)
1984-1990	A. Roos (Sweden)
1990-1996	A. Nardone (Italy)
1996-2000	P. Solms-Lich (Germany)
2000-2004	A. Aumaitre (France)
2004-2008	J. Flanagan (Ireland)
2008-2012	K. Sejrsen (Denmark)
2012-2016	P. Chemineau (France)
2016-2020	M. Gauly (Germany)
2020-2024	I. Casasús Spain)

Council members

President

- Jöel Berard (Switzerland)

Vice-Presidents

- Sam de Campeneere (Belgium)
- Gunnfríður Elín Hreiðarsdóttir (Iceland)

Council Members

- Peer Berg (Norway)
- Christian Lambertz (Germany)
- Nicolaj Ingemann Nielsen (Denmark)
- Moschos Korasidis (Greece)
- Nicolò Macciotta (Italy)
- Klemen Potocnik (Slovenia)
- Diana Ruska (Latvia)

FAO Representative

- Badi Besbes

Auditors

- Georgia Hadji Pavlou (Cyprus)
- Zygmunt Maciej Kowalski (Poland)

Alternate Auditor

- Jeanne Bormann (Luxembourg)

Secretary General

- Andrea Rosati

The European Federation of Animal Science (EAAP) has close established links with its sister organizations of American Society of Animal Science (ASAS), American Dairy Science Association (ADSAS), Canadian Society of Animal Science (CSAS) and Asociación Latinoamericana de Producción Animal (ALPA) and is also member of the World Association for Animal Production (WAAP).





AMERICAN SOCIETY OF ANIMAL SCIENCE

The American Society of Animal Science fosters the discovery, sharing and application of scientific knowledge concerning the care and responsible use of animals to enhance animal and human health and well-being.

These core principles and beliefs are the foundation for ASAS and will guide the implementation of this 5-year strategic plan,

1. Animals are essential to human life and well-being.
2. The care and use of animals are held to the highest standards of integrity and professional ethics.
3. Research and scientific information are communicated in an open, transparent, and dynamic manner.
4. Career development for animal scientists, educators, and producers is essential to the viability of the allied and animal industries.
5. Animal science and the production of animal-sourced foods must continually evolve to meet the needs and values of society.

Officers

- President, Dr. Richard Coffey, Oklahoma State University
- Past President, Dr. Kristen Johnson, Washington State University
- President Elect, Dr. Clint Krehbiel, Texas Tech university

Board of Directors

- Dr. Penny Riggs, Texas A&M University
- Dr. James Reecy, Iowa State University
- Dr. Christopher Schauer, North Dakota State University
- Dr. Todd Calloway, University of Georgia
- Dr. Laura Motsinger, Hills Pet Nutrition
- Dr. Kristen Hales, Texas Tech University
- Dr. Deana Hancock, Novus International
- Dr. Robert Goodband, Kansas State University
- Dr. Catherine Ernst, Michigan State University
- Dr. Emily Melchior, Zoetis
- Dr. Laura Greiner, Iowa State University
- Dr. Daniel Poole, North Carolina State University
- Ms. Cheyenne Summers, University of Connecticut, Graduate student director
- Ms. Kathlyn Hauxwell, North Dakota State University, Graduate student director

Chief Executive Officer

- Dr. James Sartin

The American Society of Animal Science is a committed partner to the European Federation of Animal Science in producing this joint meeting.

About the Centro Cultural e de Congressos



The EAAP–ASAS Conference on Livestock Farming and the Environment: Emissions and Solutions will take place at the Centro Cultural e de Congressos de Angra do Heroísmo, located in the heart of Terceira Island, Azores. This modern venue offers excellent facilities for conferences and scientific meetings, combining functionality with the historical and cultural charm of Angra do Heroísmo, a UNESCO World Heritage city.

The Centro Cultural e de Congressos provides a welcoming and inspiring environment for knowledge exchange, featuring spacious auditoriums, meeting rooms equipped with advanced audiovisual technology, and comfortable areas designed to foster interaction among participants. Its central location allows easy access to the city's main attractions, hotels, and restaurants, while being close to the coastline and the surrounding volcanic landscapes.

Hosting the conference in this unique setting reflects the strong connection between science, culture, and sustainability that characterizes the Azores. Participants will have the opportunity not only to engage in a high-level scientific program but also to experience the rich heritage, natural beauty, and warm hospitality of Angra do Heroísmo and Terceira Island.

Agriculture in the Azores islands

The Azores, an autonomous region of Portugal located in the North Atlantic Ocean, consist of nine volcanic islands characterized by a rich natural heritage and a long agricultural tradition. Agriculture and livestock production are vital components of the Azorean economy, closely integrated with the region's landscapes and cultural identity.

The islands' mild oceanic climate, fertile volcanic soils, and abundant rainfall provide excellent conditions for livestock farming and the cultivation of high-quality forage and crops. Dairy production, particularly from cattle grazing on open pastures, represents the backbone of Azorean agriculture and is internationally recognized for its quality and sustainability. In addition to dairy farming, beef cattle, small ruminants, and pig production also play an important role, while horticulture, fruit growing, and viticulture are gaining prominence.

The agricultural sector in the Azores encompasses around 100,000 hectares of utilized agricultural area, primarily composed of small and medium-sized family farms. These farms are deeply committed to sustainable practices and environmental preservation, reflecting the islands' dedication to balancing productivity with ecosystem protection.

In recent decades, Azorean agriculture has undergone modernization, with growing investment in technology, animal welfare, and circular economy strategies aimed at reducing greenhouse gas emissions and promoting renewable energy. Despite challenges such as geographical isolation and demographic decline in rural areas, the sector remains a key driver of local development and innovation.

Through these dynamics, the Azores maintain a resilient agricultural system that safeguards their cultural and natural heritage while contributing to food security, environmental stewardship, and a sustainable rural economy.



About Terceira



Terceira Island is one of the most historically and culturally significant islands of the Azores archipelago. Its main city, Angra do Heroísmo, was one of the earliest and most historically important urban centers in the Azores and has played a pivotal role in the history of Portugal and the Atlantic. Founded in the 15th century, Angra became a strategic port for navigation between Europe, Africa, and the Americas, serving as a key stopover during the Age of Discovery.

The city's historic center, recognized as a UNESCO World Heritage Site since 1983, is a living testimony to its rich past. Its cobble streets, colorful façades, baroque churches, and grand squares reflect centuries of cultural and architectural evolution. Landmarks such as the Sé Cathedral, the Fortress of São João Baptista, and the Duke of Terceira Garden highlight Angra's heritage as a crossroads of civilizations and a bastion of Atlantic identity.

Over the centuries, Angra do Heroísmo has preserved its deep connection to the sea and to rural traditions. Terceira's landscape, shaped by volcanic activity, lush pastures, and hedgerow-enclosed fields, provides a distinctive setting for agriculture and livestock farming, which remain central to the island's economy and way of life.

Today, Angra do Heroísmo stands as a vibrant city that harmoniously blends history, culture, and innovation. It hosts major scientific, cultural, and artistic events throughout the year, fostering international exchange and community engagement. The city's warm hospitality, combined with its rich gastronomy, festivals, and natural beauty, makes it an ideal location for both academic gatherings and tourism.

We invite you to discover Angra do Heroísmo and Terceira Island, an exceptional place where heritage, science, and sustainability come together in the heart of the Atlantic. For more information, you can visit the official Azores Tourism website: <https://www.visitazores.com>

Useful information

Official Language

The official language of the EAAP–ASAS Conference is English. No translation will be provided.

Passport and Visa

Portugal is part of the European Union and the Schengen Area, allowing nationals from other EU countries to travel to the Azores without a visa. Citizens from several non-EU countries, including the United States, Canada, Australia, and New Zealand, can also enter Portugal without a visa for stays of up to 90 days. For more information on visa requirements, please refer to the Schengen Visa Info

Official Invitation and Certification

An official invitation letter can be requested to assist participants in meeting administrative requirements for travel. However, this invitation does not imply any financial or other obligation from the EAAP–ASAS organizing committee. A certificate of attendance will be available for all registered participants.

Liability and Insurance

The organizing committee cannot be held responsible for personal accidents, illnesses, or loss of or damage to private property. Participants are strongly advised to arrange their own travel, health, and personal insurance before the event.

Health and Emergency

In case of emergency, call 112, the European emergency number, to reach the police, medical, or fire services. Healthcare facilities in the Azores are modern and accessible in the main towns.

Currency

The currency in Portugal is the Euro (EUR). Major credit and debit cards are widely accepted, and ATMs are available throughout Terceira Island.

Local Time Zone

The Azores operate on Azores Standard Time (AZOT), which is UTC/GMT -1.

Climate

The Azores enjoy a mild oceanic climate throughout the year, characterized by moderate temperatures and high humidity. In April, average daytime temperatures range between 15°C and 20°C, with occasional light rain. Participants are advised to bring light clothing and a waterproof jacket.

Electricity

Portugal uses type F and type C electrical sockets. The voltage is 230V, and the frequency is 50Hz.

Useful information

Travel by Plane

The main airport serving Terceira Island is Lajes International Airport (TER), located about 20 minutes from Angra do Heroísmo. The airport operates regular flights to Lisbon and other Portuguese cities, as well as seasonal international connections. Taxis, rental cars, and shuttle services are available for transport between the airport and the city.

Travel by Sea

Inter-island ferry services connect Terceira with other islands of the Azores, operated by Atlânticoline. Ferry schedules may vary depending on the season, so advance booking is recommended.

Local Transportation

Angra do Heroísmo offers a network of public buses operated by Viação Terceirense, as well as taxis and car rental services. The city is compact and easily explored on foot, with most attractions, hotels, and restaurants within walking distance.

For more detailed information, you can consult the official tourism website:

<https://www.visitazores.com>

Information for Participants

Registration Desk

The registration desk will be located at the Centro Cultural e de Congressos, at the following address: Canada Nova de Santa Luzia, 9700-130 Angra do Heroísmo. To facilitate and speed up the registration process and avoid queues, **the registration desk will also be open on Sunday 19th, starting from 15:00.**

To Authors

Authors who do not wish to have their PDF presentations or posters made available on the EAAP website must notify EAAP by April 1st, 2026. This can be done by sending an email to liguori@eaap.org. After this date, EAAP will assume permission to include the presentation/poster on the website.

Posters

Posters will be displayed on **electronic boards** placed at the entrance of the congress center. Posters must be sent to liguori@eaap.org as image files (preferably JPEG or PNG). They must be in vertical format, 1080 × 1920 pixels (width × height). **The deadline is April 1st.**

Further communications will be sent to poster authors about the timing/day of the display of each poster.

The physical boards option is still under review. If this option becomes effective and feasible due to the onsite constraints, poster authors will be contacted and asked to bring their own poster onsite.

Theatre Presentation Upload Desk

At the Centro Cultural e de Congressos, there will be an upload desk for theatre presentations, where the support team will assist participants with the upload process. To facilitate and speed up the organization, presenters are kindly requested to send their presentation file by **5th April** to liguori@eaap.org. If there are last-minute changes or delays, presentations can still be uploaded at the on-site upload desk. However, **sending the file by email in advance is strongly recommended to streamline the process.** Please ensure that your presentation is saved on a portable USB drive as a backup. Meeting rooms will be equipped with MS Windows computers, so PowerPoint presentations (*.ppt; *.pptx) are preferred. When preparing your presentation, please allow approximately 3 minutes for questions and discussion at the end.

Conference Website

The conference website is live and optimized for smartphone navigation.

It contains detailed information about the conference program and venue. You can visit the conference website at <https://asas.eaap.org/>

Conference App

The conference program will be available for all delegates by downloading the app “EAAP” available for iOS/Android.

